

MATERIAL DECLARATION SHEET



Material Number	CT-26-6M			
Product Line	Dials			
Compliance Date	January 1995			
RoHS Compliant	Yes	MSL	N/A	

No.	Construction Element (subpart)	Homogeneous Material	Material weight [g]	Homogeneous Material/ Substances	CASRN if applicable	Materials Mass %	Material Mass % of total unit wt.	Subpart mass of total wt. (%)
1	External Housing	Polycarbonate	1.2	Polycarbonate		97.68852	13.506	13.824
				Proprietary Ingredients		0.647541	0.089	
				Flame Retardant		0.647541	0.089	
				Pigment		1.016393	0.138	
2	Brake	Steel	0.2	Carbon	7440-44-0	0.524	0.012	2.319
				Manganese	7439-96-5	0.63	0.015	
				Phosphorous	7723-14-0	0.014	0.0003	
				Sulfur	7704-34-9	0.016	0.0004	
				Silicon	7440-21-3	0.21	0.005	
				Iron	7439-89-6	98.606	2.272	
		Proprietary Information		0.647541	0.015			
Finish	0.25	Trizinc bis(orthophosphate)	7779-90-0	100	2.88	2.88		
3	Bushing	Polycarbonate	0.8	Polycarbonate		97.68852	9.004	9.216
				Proprietary Ingredients		0.647541	0.059	
				Flame Retardant		0.647541	.0059	
				Pigment		1.016393	0.092	
4	Gearwheel Housing	Polycarbonate	0.6	Polycarbonate		97.68852	6.753	6.912
				Proprietary Ingredients		0.647541	0.045	
				Flame Retardant		0.647541	0.045	
				Pigment		1.016393	0.069	

MATERIAL DECLARATION SHEET



5	Number Wheel X 3	Polyamide	0.05	Undecanoic acid, 11-amino-, polyamide	25587-80-8	96.25	0.554	0.576
				Inorganic Material		2	0.012	
				Proprietary Ingredients		1.75	0.01	
6	Switch Actuator X 2	POM	0.08	polyacetate copolymer	24969-26-4	97	0.894	0.922
				Proprietary Ingredients		2	0.018	
				Pigment		1	0.009	
7	Gear Wheel	POM	0.07	polyacetate copolymer	24969-26-4	97	0.782	0.807
				Proprietary Ingredients		2	0.016	
				Pigment		1	0.008	
8	Numerical Disk	Aluminum	0.2	Silicon	7440-21-3	0.15	0.003	2.304
				Iron	7439-89-6	0.35	0.008	
				Copper	7440-50-8	0.1	0.002	
				Manganese	7439-96-5	0.1	0.002	
				Magnesium	7439-95-4	0.8	0.018	
				Chromium	7440-47-3	0.05	0.001	
				Titanium	7440-32-6	0.025	0.0006	
				Aluminum	7429-90-5	98.3	2.265	
Zinc	7440-66-6	0.125	0.003					
9	Lens	Polycarbonate	0.4	Polycarbonate		100	4.608	4.608
10	Retaining Ring	Aluminum	0.01	Silicon	7440-21-3	0.66	0.0008	0.008
				Iron	7439-89-6	0.58	0.0007	
				Copper	7440-50-8	3.94	0.005	
				Manganese	7439-96-5	0.676	0.0008	
				Magnesium Powder	7439-95-4	0.723	0.0008	
				Chromium	7440-47-3	0.036	0.00004	
				Titanium	7440-32-6	0.023	0.00003	
				Nickel	7440-02-0	0.004	0.000005	
				Bismuth	7440-69-9	0.101	0.0001	
				Aluminum	7429-90-5	92.157	0.106	
				Zinc	7440-66-6	0.25	0.003	
				Lead	7439-92-1	0.85	0.001	

MATERIAL DECLARATION SHEET



Reliable Electronic Solutions

11	Pin 1	Brass	0.3	Copper	7440-50-8	63	2.177	3.456
				Zinc	7440-66-6	36.38	1.257	
				Aluminum	7429-90-5	0.015	0.0005	
				Iron	7439-89-6	0.05	0.002	
				Manganese	7439-96-5	0.05	0.002	
				Nickel	7440-02-0	0.15	0.005	
				Lead	7439-92-1	0.05	0.002	
				Antimony	7440-36-0	0.005	0.0002	
				Tin	7440-31-5	0.05	0.002	
				Proprietary Ingredients		0.25	0.009	
12	Pin 2	Brass	0.4	Copper	7440-50-8	63	2.903	4.608
				Zinc	7440-66-6	36.38	1.677	
				Aluminum	7429-90-5	0.015	0.0007	
				Iron	7439-89-6	0.05	0.002	
				Manganese	7439-96-5	0.05	0.002	
				Nickel	7440-02-0	0.15	0.007	
				Lead	7439-92-1	0.05	0.002	
				Antimony	7440-36-0	0.005	0.0002	
				Tin	7440-31-5	0.05	0.002	
				Proprietary Ingredients		0.25	0.012	
13	Pin 3	Brass	0.45	Copper	7440-50-8	58	3.007	5.179
				Aluminum	7429-90-5	0.05	0.003	
				Iron	7439-89-6	0.2	0.01	
				Nickel	7440-02-0	0.15	0.008	
				Lead	7439-92-1	3	0.156	
				Tin	7440-31-5	0.35	0.018	
				Zinc	7440-66-6	38.15	1.978	
				Proprietary Ingredients		0.1	0.005	
14	Washer	Stainless Steel	0.2	Carbon	7440-44-0	0.035	0.008	2.304

MATERIAL DECLARATION SHEET



Reliable Electronic Solutions

				Chromium	7440-47-3	18.25	0.421	
				Manganese	7439-96-5	1	0.023	
				Nitrogen	7727-37-9	0.055	0.001	
				Nickel	7440-02-0	9.25	0.213	
				Phosphorous	7723-14-0	0.0225	0.0005	
				Sulfur	7704-34-9	0.0075	0.0002	
				Silicon	7440-21-3	0.5	0.012	
				Iron	7439-89-6	70.38	1.622	
				Copper	7440-50-8	0.5	0.012	
15	Lever Flap	Nylon	0.5	Nylon	25038-54-4	68	3.917	5.76
				Glass Fibers	65997-17-3	30	1.728	
				Proprietary Ingredients		2	0.115	
16	Groove Nut	Aluminum	0.25	Silicon	7440-21-3	0.66	0.019	0.194
				Iron	7439-89-6	0.58	0.017	
				Copper	7440-50-8	3.94	0.113	
				Manganese	7439-96-5	0.676	0.019	
				Manganese Powder	7439-95-4	0.723	0.021	
				Chromium	7440-47-3	0.036	0.001	
				Titanium	7440-32-6	0.023	0.0007	
				Nickel	7440-02-0	0.004	0.0001	
				Bismuth	7440-69-9	0.101	0.003	
				Aluminum	7429-90-5	92.157	2.654	
				Zinc	7440-66-6	0.25	0.007	
17	Set Screw	Steel	0.25	Boron	7440-42-8	0.0015	0.00004	2.88
				Carbon	7440-44-0	0.275	0.008	
				Iron	7439-89-6	99.6685	2.871	
				Phosphorous	7723-14-0	0.025	0.0007	
				Sulfur	7704-34-9	0.03	0.0009	
18	Lock Washer	Aluminum	0.35	Silicon	7740-21-3	0.2	0.008	4.032
				Iron	7439-89-6	0.2	0.008	

MATERIAL DECLARATION SHEET



Reliable Electronic Solutions

				Copper	7440-50-8	0.05	0.002	
				Manganese	7439-96-5	0.25	0.01	
				Magnesium	7439-95-4	3.1	0.125	
				Chromium	7440-47-3	0.15	0.006	
				Zinc	7440-66-6	0.1	0.004	
				Titanium	7440-32-6	0.075	0.003	
				Aluminum	7429-90-5	95.875	3.866	
19	Washer	Stainless Steel	0.43	Carbon	7440-44-0	0.1	0.005	1.297
				Chromium	7440-47-3	17.5	0.867	
				Manganese	7439-96-5	1	0.049	
				Nitrogen	7727-37-9	0.055	0.003	
				Nickel	7440-02-0	7.5	0.372	
				Phosphorous	7723-14-0	0.0225	0.001	
				Sulfur	7704-34-9	0.0075	0.0004	
				Silicon	7440-21-3	1	0.049	
				Iron	7439-89-6	71.915	3.563	
				Copper	7440-5-08	0.5	0.025	
				Molybdenum	7439-98-7	0.4	0.019	
20	Washer	Stainless Steel	0.05	Carbon	7440-44-0	0.1	0.0006	0.151
				Chromium	7440-47-3	17.5	0.101	
				Manganese	7439-96-5	1	0.006	
				Nitrogen	7727-37-9	0.055	0.0003	
				Nickel	7440-02-0	7.5	0.043	
				Phosphorous	7723-14-0	0.0225	0.0001	
				Sulfur	7704-34-9	0.0075	0.00004	
				Silicon	7440-21-3	1	0.006	
				Iron	7439-89-6	71.915	0.414	
				Copper	7440-5-08	0.5	0.003	
				Molybdenum	7439-98-7	0.4	0.003	
21	Bushing	Brass	1.64	Copper	7440-50-8	70	13.226	18.894
				Zinc	7440-66-6	30	5.668	

MATERIAL DECLARATION SHEET



Total weight	8.68
--------------	------

This Document was updated on: June 20, 2006

Important remarks:

1. It is the responsibility of the user to verify they are accessing the latest version.