


MATERIAL DECLARATION SHEET



Material Number	SRP0515 Series			
Product Line	Shielded SMD Power Inductor			
Compliance Date	2019 / 08 / 26			
RoHS Compliant	YES	MSL	1	

No.	Construction Element(subpart)	Homogeneous Material	Material weight [g]	Homogeneous Material Substances	CASRN if applicable	Materials Mass %	Material Mass % of total unit wt.	Subpart mass of total wt. (%)
1	Core	Magnetic alloy powder	0.158	Iron	7439-89-6	56.70	44.793	79.00
				Silicon	7440-21-3	9.50	7.505	
				Chromium	7440-47-3	7.50	5.925	
				Oxygen	7782-44-7	1.50	1.185	
				Carbon	7440-44-0	0.90	0.711	
				Sulphur	7704-34-9	0.90	0.711	
				Phenol formaldehyde	9003-35-4	9.50	7.505	
				Phosphoric acid	7664-38-2	4.50	3.555	
				Epoxy	25036-25-3	4.50	3.555	
				Polyester	70729-94-1	4.50	3.555	
2	Wire-1	EDFB-X	0.030	Copper	7440-50-8	92.5	13.875	15.00
				Polyamide Resin	63428-83-1	5.0	0.750	
				Acryl Resin	-	2.5	0.375	
3	Terminal	Ag. C1100	0.009	Copper	7440-50-8	97.5	4.388	4.50
				Silver	7440-22-4	2.5	0.113	
4	Adhesive	JD034-6	0.002	Epoxy resin 1	25085-99-8	25.0	0.250	1.00
				Epoxy resin 2	-	19.0	0.190	
				Dicyanodiamide	461-58-5	8.0	0.080	
				Polyamine	-	5.0	0.050	
				Fumed silica	112945-52-5	1.0	0.010	
Silica	7631-86-9	42.0	0.420					

MATERIAL DECLARATION SHEET



5	Mark Seal	TAT INDELIBLE INK - STSG	0.001	Synthetic resin	-	75.0	0.375	0.50
				Carbon black	1333-86-4	25.0	0.125	
		Total weight	0.20					

This Document was updated on: 2019/08/26

Important remarks:

1. It is the responsibility of the user to verify they are accessing the latest version.