



Product Change Notification

INDUCTIVE COMPONENTS

Bourns Manufacturers Representatives
Corporate Distributor Product Managers
Americas Sales Team
Asia Sales Team
Europe Sales Team
Bourns Internal
Bourns Plant Managers



May, 2009

Packaging Quantity Change for Eight PM Series Inductor Models

With date code 0925, the reel packaging quantities (minimum order and multiple) of the following models will be changed.

Model Series	Current	New
PM12639S	800 pcs.	600 pcs.
PM12645S	800 pcs.	500 pcs.
PM12651S	800 pcs.	500 pcs.
PM127SH	500 pcs.	400 pcs.
PM1608	750 pcs.	600 pcs.
PM1608S	750 pcs.	600 pcs.
PM528S	2000 pcs.	400 pcs.
PM7232S	1500 pcs.	1000 pcs.

All reels supplied with date code 0925 will have the adjusted reel quantity. The reduction of components in the reel will minimize the possibility of broken cores in the package.

Pages 2 & 3 of this memo lists the part numbers involved.

Packaging Quantity Change for Eight PM Series Inductor Models

May, 2009

Page 2 of 3

PM126xx Series	Current	New
PM12639S-R67M-RC	800	600
PM12639S-1R2M-RC	800	600
PM12645S-1R2M-RC	800	500
PM12645S-1R8M-RC	800	500
PM12645S-2R7M-RC	800	500
PM12651S-R50M-RC	800	500
PM12651S-4R7M-RC	800	500
PM12651S-9R0M-RC	800	500

PM127SH Series	Current	New
PM127SH-1R2M-RC	500	400
PM127SH-2R4M-RC	500	400
PM127SH-3R5M-RC	500	400
PM127SH-4R7M-RC	500	400
PM127SH-6R1M-RC	500	400
PM127SH-7R6M-RC	500	400
PM127SH-100M-RC	500	400
PM127SH-120M-RC	500	400
PM127SH-150M-RC	500	400
PM127SH-180M-RC	500	400
PM127SH-220M-RC	500	400
PM127SH-270M-RC	500	400
PM127SH-330M-RC	500	400
PM127SH-390M-RC	500	400
PM127SH-470M-RC	500	400
PM127SH-560M-RC	500	400
PM127SH-680M-RC	500	400
PM127SH-820M-RC	500	400
PM127SH-101M-RC	500	400
PM127SH-121M-RC	500	400
PM127SH-151M-RC	500	400
PM127SH-181M-RC	500	400
PM127SH-221M-RC	500	400
PM127SH-271M-RC	500	400
PM127SH-331M-RC	500	400
PM127SH-391M-RC	500	400
PM127SH-471M-RC	500	400
PM127SH-561M-RC	500	400
PM127SH-681M-RC	500	400
PM127SH-821M-RC	500	400
PM127SH-102M-RC	500	400

PM1608 Series	Current	New
PM1608-1R0M-RC	750	600
PM1608-1R5M-RC	750	600
PM1608-2R2M-RC	750	600
PM1608-3R3M-RC	750	600
PM1608-4R7M-RC	750	600
PM1608-6R8M-RC	750	600
PM1608-100M-RC	750	600
PM1608-150M-RC	750	600
PM1608-220M-RC	750	600
PM1608-330M-RC	750	600
PM1608-470M-RC	750	600
PM1608-680M-RC	750	600
PM1608-101M-RC	750	600
PM1608-151M-RC	750	600
PM1608-221M-RC	750	600
PM1608-331M-RC	750	600
PM1608-471M-RC	750	600
PM1608-681M-RC	750	600
PM1608-102M-RC	750	600

PM1608S Series	Current	New
PM1608S-1R0M-RC	750	600
PM1608S-1R5M-RC	750	600
PM1608S-2R2M-RC	750	600
PM1608S-3R3M-RC	750	600
PM1608S-4R7M-RC	750	600
PM1608S-6R8M-RC	750	600
PM1608S-100M-RC	750	600
PM1608S-150M-RC	750	600
PM1608S-220M-RC	750	600
PM1608S-330M-RC	750	600
PM1608S-470M-RC	750	600
PM1608S-680M-RC	750	600
PM1608S-101M-RC	750	600
PM1608S-151M-RC	750	600
PM1608S-221M-RC	750	600
PM1608S-331M-RC	750	600
PM1608S-471M-RC	750	600
PM1608S-681M-RC	750	600
PM1608S-102M-RC	750	600
PM1608S-152M-RC	750	600
PM1608S-222M-RC	750	600
PM1608S-332M-RC	750	600
PM1608S-472M-RC	750	600
PM1608S-682M-RC	750	600
PM1608S-103M-RC	750	600

Packaging Quantity Change for Eight PM Series Inductor Models

May, 2009

Page 3 of 3

PM528S Series	Current	New
PM528S-2R6Y-RC	2000	400
PM528S-3R0Y-RC	2000	400
PM528S-4R2Y-RC	2000	400
PM528S-5R3Y-RC	2000	400
PM528S-6R2Y-RC	2000	400
PM528S-8R2Y-RC	2000	400
PM528S-100Y-RC	2000	400
PM528S-120Y-RC	2000	400
PM528S-150Y-RC	2000	400
PM528S-180Y-RC	2000	400
PM528S-220Y-RC	2000	400
PM528S-270Y-RC	2000	400
PM528S-330Y-RC	2000	400
PM528S-390Y-RC	2000	400
PM528S-470Y-RC	2000	400
PM528S-560Y-RC	2000	400
PM528S-680Y-RC	2000	400
PM528S-820Y-RC	2000	400
PM528S-101Y-RC	2000	400

PM7232S Series	Current	New
PM7232S-R10M-RC	1500	1000
PM7232S-R22M-RC	1500	1000
PM7232S-R47M-RC	1500	1000
PM7232S-R72M-RC	1500	1000
PM7232S-1R0M-RC	1500	1000
PM7232S-1R5M-RC	1500	1000